



WEREMCZUK FMR

**PRODUCER
FRUIT AND VEGETABLE
GROWING AND HARVESTING**

NEW PROPOSALS OF MACHINES BY WEREMCZUK FMR AS RESPONSE TO BC CULTIVATION TRENDS

LECTURER :
ROBERT WEREMCZUK

PRESIDENT OF WEREMCZUK FMR COMPANY



WEREMCZUK FMR



PRESENTATION PLAN

Currant, aronia and gooseberry harvesters:

- Half-row, pull-behind JOANNA PREMIUM - NEW!
- **Half-row, pull-behind JOANNA-4**
- Full-row, self-propelled VICTOR
- Full-row, pull-behind VICTOR-Z

Treatment machines for orchards and plantations:

- Currant bush trimmer ROCH
- Currant, aronia and raspberry roots shredder SAMSON
- Multifunction treatment machine for orchards and plantations SAVA – NEW!
- Bush cutter – NEW!

Sprayers:

- Tunnel sprayer NESTOR – NEW!

Movers and slashers for orchards:

- Mover / slasher with swing arm KS-220 R

HALF-ROW HARVESTERS JOANNA PREMIUM

FOR HIGH BUSHES – ARONIA, CURRANTS AND OTHER



- ❑ enlarged shaking unit to harvest high bushes, up to 3m
- ❑ very wide conveyor under shaker to minimise fruit losses
- ❑ higher harvest output
- ❑ effective filling of two 500kg boxes on platform
- ❑ enlarged platform capacity



HALF-ROW HARVESTERS JOANNA-4

FOR CURRANT, ARONIA AND GOOSEBERRY



- ❑ effective and durable shaking head
- ❑ hydraulic system with automatic cooler and filter
- ❑ independent adjustment of conveyors speed
- ❑ effective harvesting of young bushes
- ❑ wide range of equipment options available



HALF-ROW HARVESTERS **JOANNA-4** FOR CURRANT, ARONIA AND GOOSEBERRY



JOANNA-4 SLIM VERSION

- ☐ designed for work at plantations with distance between the rows 3,5 m and more



JOANNA-4 STANDARD VERSION

FULL-ROW HARVESTERS **VICTOR PREMIUM** FOR CURRANTS, ARONIA AND GOOSEBERRY



- ❑ most popular self-propelled full-row currant harvester in Poland and all over the world
- ❑ close to 100% effectiveness and accuracy of picking
- ❑ output: up to 0,6 ha/hour



FULL-ROW HARVESTERS VICTOR

FOR CURRANTS, ARONIA AND GOOSEBERRY



Basic fruit collection options:

- ❑ **small boxes or two 500 kg boxes on each side platform**
- ❑ **small boxes or three 500 kg boxes on each side platform**
- ❑ **side conveyor**
- ❑ **hydraulic lifts for big boxes**

WEREMCZUK FMR



PULL-BEHIND FULL-ROW HARVESTERS **VICTOR Z** FOR CURRANTS, ARONIA AND GOOSEBERRY



- ❑ alternative for self-propelled harvesters VICTOR
- ❑ harvesting system with V-shakers – excellent quality of fruits
- ❑ possibility to pick up in small and big boxes
- ❑ side levelling in standard equipment



PULL-BEHIND FULL-ROW HARVESTERS **VICTOR Z** FOR CURRANT, ARONIA AND GOOSEBERRY



- ❑ independent hydraulic system with automatic oil cooler
- ❑ **very good output, up to 0,6 ha/hour**
- ❑ tractor power demand: min 80 HP



CURRENT BUSH TRIMMER **ROCH**

- ❑ hitched on front three point linkage
- ❑ demanded output of hydraulic pump in tractor - min. 30 l/min
- ❑ tractor power demand: min. 30HP





CURRENT BUSH TRIMMER **ROCH**



- ❑ work driving speed: 1-3 km/h
- ❑ demanded two pairs of hydraulic couplings in tractor



ROOTS SHREDDER **SAMSON**

FOR CURRANT, ARONIA AND RASPBERRY

- ❑ working width: 48, 60 or 85 cm
- ❑ working depth: 16 or 20 cm
- ❑ turnover of WOM: 540 or 1000 rpm./min.





ROOTS SHREDDER **SAMSON**

FOR CURRANT, ARONIA AND RASPBERRY



- ❑ tractor power required: min. 60-100 HP
- ❑ operating speed of: 0,6-2,0 km/h



MULTIFUNCTION TREATMENT MACHINE FOR ORCHARDS AND PLANTATIONS **SAVA**

The machine can be equipped at:

- ☐ **sweeper of branches and leaves**
- ☐ **crown tiller**
- ☐ **crown trimmer**
- ☐ **herbicidal beam**
- ☐ **ROCH shoots cutter (on one side).**
- ☐ **automatic tool guide**





MULTIFUNCTION TREATMENT MACHINE FOR ORCHARDS AND PLANTATIONS **SAVA**

NEW!



- ❑ spacing of the rows: 3,5-4,2 m
- ❑ output of the hydraulic system of the tractor: min. 30 l/min.
- ❑ tractor power demand: min. 22 kW (30HP)



BUSCH CUTTER FOR CURRANT, ARONIA, RASPBERRY etc.

- ❑ work driving speed:
0,2-0,6 km/h
- ❑ tractor power demand:
min. 80 HP
- ❑ demanded output of hydraulic pump in tractor :
min. 30 l/min





BUSCH CUTTER

FOR CURRANT, ARONIA, RASPBERRY etc.

NEW!



Available adjustments:

- ☐ **cutting height**
- ☐ **cutting saw speed**
- ☐ **shoving disc speed**
- ☐ **shoving disc position**



TUNNEL SPRAYER NESTOR

NEW!



- ❑ fluid recycling technology that can recover and recirculate up to 60% of spraying solution
- ❑ adjustable tunnel interior width and height



TUNNEL SPRAYER NESTOR

NEW!



- ❑ hydraulic drives of working elements
- ❑ tunnel spraying system guarantees perfect work even during windy weather



MOWER-SHREDDER WITH SWING ARM KS-220R

- ❑ eliminates the necessity of using herbicides
- ❑ **safe fo trees and bushes**
- ❑ shifting of the mower-shredder outside the tractor's outline
- ❑ **robust and durable construction**



GUARANTEE AND AFTER-SALES SERVICES

- ❑ **TWO YEAR PRODUCER GUARANTEE**
- ❑ **2 YEAR GUARANTEE FOR SPARE PARTS IN OTHER COUNTRIES**
- ❑ **PROFESSIONAL AFTER SALE SERVICE**
- ❑ **SPARE PARTS AVAILABLE DURING HARVEST**



**THANK YOU
FOR ATTENTION**

